

AARIGATO

Intelligent Lighting Solutions

EMERGENCY FLOOD LIGHTS

Emergency Flood Lights



Product Feature:

- 1. Easy installation, without cable.
- 2. LED Light source adopts low voltage DC power supply. It has the unique advantages of High efficiency, safety, energy saving, environmental protection, long life, fast response and High color rendering index.
- 3. The brightness of the **emergency light** is comfortable for your eyes.

Application: House, schools, gardens, housing society...

Technical Data Sheet

Wattage	20W	30W	50W
Electrical characteristic	Rechargeable light	Rechargeable light	Rechargeable light

Rechargeable LED flood lights with built-in battery backup

20W • 30W • 50W

DEALER APPOINTMENTS OPEN ACROSS INDIA

Product Overview

A practical rechargeable lighting solution for locations where portable illumination and battery backup are important.

PRODUCT FEATURE	DETAIL
Easy installation	Portable stand-mounted design; no fixed installation cable required.
LED source	Low-voltage DC LED power supply with efficient, fast-response illumination.
Comfortable illumination	Designed to provide comfortable emergency illumination.
Battery backup	Rechargeable lithium-ion battery system; backup varies by model.
Protection	Short-circuit protection is specified for all three models in the supplied technical sheet.

Typical Applications

Homes • Schools • Gardens • Housing Societies • Emergency/backup illumination • Workshops • Portable work areas

Why this product for dealers?

A portable rechargeable flood light gives dealers an additional product category beyond conventional fixed lighting. The 20W, 30W and 50W options cover different use cases while sharing the same basic product concept.

Aarigato Dealer Opportunity

We are building a dealer and distributor network across India for Aarigato intelligent and specialist lighting products.

Technical Data

Specification	20W	30W	50W
Electrical characteristic	Rechargeable light	Rechargeable light	Rechargeable light
I/P Voltage	11.1V	11.1V	11.1V
Battery capacity	2.2Ah	4.4Ah	8.8Ah
Charging voltage / adaptor	12V/1A	12V/1A	12V/2A
Charging time	3 hrs.	5 hrs.	6 hrs.
Body material	Aluminum Housing	Aluminum Housing	Aluminum Housing
Short Circuit Protection	Yes	Yes	Yes
Battery type	Lithium-ion	Lithium-ion	Lithium-ion
Weight	1.4 kg	2.4 kg	2.8 kg
Viewing angle	120°	120°	120°
CRI	>80	>80	>80
Battery backup	4 hrs.	4 hrs.	6 hrs.
Fixture dimension	310×275×140 mm	340×275×140 mm	340×275×140 mm

Important Product Notes

- All lamps are supplied 20% charged before delivery.
- Use only the charger supplied with the lamp.
- Do not turn on the light while charging.
- Do not use a modified or damaged charger.
- Do not leave the lamp charging for more than 24 hours.
- Do not disassemble the lamp.
- Recharge the lamp every six months while in stock.

Technical information reproduced from the supplied product material. Final commercial and regulatory specifications should be confirmed before printing production packaging.

Safety & Dealer Information

WARNING — RECHARGEABLE LITHIUM-ION BATTERY

This product uses a rechargeable lithium-ion battery. Misuse can cause battery damage, fire or personal injury. Follow the supplied charging and safety instructions.

- Do not place the battery or device in fire or expose it to high temperature.
- Do not tamper with the wiring.
- Do not puncture or physically damage the battery.
- Do not use a battery that appears damaged.
- Do not immerse or expose the battery to water.
- Do not charge the battery in any manner other than the prescribed method.

LOOKING TO BECOME AN AARIGATO DEALER?

We are appointing dealers and distributors across India for Aarigato lighting and intelligent lighting products.

Dealer enquiries / WhatsApp: 9011034467

AARIGATO

Intelligent Lighting Solutions

Dealer network • Specialist lighting • Smart & sensor solutions